

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(alarm\$2 or alert\$2) with memory near2 (size or area) near (big\$4 or larg\$3) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 13:56
L2	4	(alarm\$2 or alert\$2) same memory near2 (size or area) near (big\$4 or larg\$3) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 13:57
L3	62	(alarm\$2 or alert\$2) and memory near2 (size or area) near (big\$4 or larg\$3) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 13:57
L4	1	(virus or viral) same memory near2 (size or area) near (big\$4 or larg\$3) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 13:58
L5	216645	(memory or region or area) near2 (big\$4 or larg\$3) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 13:59
L6	168	(alarm\$2 or alert\$2) with (memory or region or area) near2 (big\$4 or larg\$3) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 14:00
L7	0	(alarm\$2 or alert\$2) with (memory or region or area) near2 (big\$4 or larg\$3) with (virus\$2 or viral) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 14:00
L8	0	(alarm\$2 or alert\$2) with (memory or region or area) near2 (big\$4 or larg\$3) same (virus\$2 or viral) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 14:00

L9	0	(alarm\$2 or alert\$2) with (memory or region or area) near2 (big\$4 or larg\$3) and (virus\$2 or viral) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 14:01
L10	279	(memory or region or area) near2 (big\$4 or larg\$3) same (virus\$2 or viral) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 14:01
L11	130	(memory or region or area) near2 (big\$4 or larg\$3) with (virus\$2 or viral) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 14:01
L12	14	l11 not (gene or protein)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 14:15
L13	34	alarm with (virus or viral) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 14:15
L14	1	contiguous and "6357008".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 15:38
L15	222	contiguous with (virus or viral) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 15:38
L16	2	contiguous near2 (region or area or memory) with (virus or viral) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 15:39

L17	35	contiguous with (region or area or memory) with (virus or viral) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 15:40
L18	8	l17 not (gene or protein)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 15:39
L19	54	(neighbor\$3 or border\$3) with (region or area or memory) with (virus or viral) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 15:56
L20	0	l19 not (acid or gene or protein)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 15:41
L21	0	contiguous with (region or area or memory) same (virus or viral) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 15:56
L22	66	contiguous with (region or area or memory) same (virus or viral) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 15:57
L23	5	l22 not (hepatitis or gene or protein)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 15:57
L24	25	(contiguous or border\$3 or neighbor\$3 or adjacent) with (region or area or memory) same (virus or viral) and @ad<"20000714" not (hepatitis or gene or protein)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 15:59

L25	1	"6357008".pn. and (neighbor\$3 or border\$3 or contiguous)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:05
L26	1	"20020091934".pn. and contiguous	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:07
L27	15	determine near3 (memory or region or area) near2 contiguous and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:22
L28	19312	contiguous with (memory or region or area) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:35
L29	68	contiguous with (memory or region or area) same (malicious or viral or virus\$2) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:24
L30	6	l29 not (hepatitis or gene or protein)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:24
L31	53	(connected or connecting) with (memory or region or area) same (malicious or viral or virus\$2) and @ad<"20000714" not (protein or gene or hepatitis)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:25
L32	10	(connected or connecting) near2 (memory or region or area) same (malicious or viral or virus\$2) and @ad<"20000714" not (protein or gene or hepatitis)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:26

L33	8	(adjacent or border\$3 or neighbor\$3) near2 (memory or region or area) same (malicious or viral or virus\$2) and @ad<"20000714" not (protein or gene or hepatitis)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:26
L34	1512	l28 and (virus or viral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:33
L35	70	l34 not (gene or protein or hepatitis)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:33
L36	53	l35 not (organism or bacteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:33
L37	118	contiguous with memory adj (area or region) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 17:00
L38	4	determin\$3 with contiguous with memory adj (area or region) and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 16:35
L39	449	713/200.ccls. 713/188.ccls. 713/187.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 17:01
L40	11	L39 and @pd>"20041026" and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 17:01

L41	5	L40 and @pd>"20050429"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/16 17:01
S1	111	(viral or virus\$2) and decrypt\$3 and emulat\$3 and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 12:19
S2	84	(viral or virus) and decrypt\$3 and emulat\$3 and memory and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/25 16:18
S3	2562	713/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/25 17:10
S4	406	S3 and (virus or viral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/25 17:10
S5	78	S4 and decrypt\$3 and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/25 17:11
S6	64	S5 not S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/25 17:11
S7	138	713/188.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 08:10

S8	73	S7 and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 08:10
S9	84	(viral or virus) and decrypt\$3 and emulat\$3 and memory and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 09:40
S10	2563	713/200.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 08:11
S11	406	S10 and (virus or viral)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 08:11
S12	78	S11 and decrypt\$3 and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 08:11
S13	64	S12 not S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 08:11
S14	55	S8 not (S13 or S9)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 08:12
S15	12	S14 and decrypt\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 08:29

S16	2	"6357008".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 08:47
S17	2	S16 and processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 08:50
S18	176	713/187.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/10/26 09:39
S19	46	S9 and overlap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 09:40
S20	0	S9 and (memory near overlap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 09:40
S21	0	S9 and (area near overlap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 09:40
S22	0	S10 and (memory near overlap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 09:41
S23	11	S10 and (memory same overlap)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 09:41



S24	8	S23 and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2004/10/26 09:41
S25	3228	713/200.ccls. 713/188.ccls. 713/187.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 12:19
S26	65	S25 and @pd>"20041026" and @ad<"20000714"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/29 12:26